



FICAM D

Version 11 / GB
102000001385

1/11

Revision Date: 10.08.2018
Print Date: 05.09.2018

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name FICAM D
Product code (UVP) 05936500

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer Environmental Science
230 Cambridge Science Park
Milton Road
Cambridge
Cambridgeshire CB4 0WB
United Kingdom

Telephone 00800-1214 9451

Telefax +44(0)1223 426240

Responsible Department Email: ukinfo@bayercropscience.com

1.4 Emergency telephone no.

Emergency telephone no. 00800 1020 3333 (24 hr)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Chronic aquatic toxicity: Category 1
H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Bendiocarb



Signal word: Warning

**FICAM D**Version 11 / GB
10200001385

2/11

Revision Date: 10.08.2018
Print Date: 05.09.2018**Hazard statements**

H410 Very toxic to aquatic life with long lasting effects.
 EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
 P391 Collect spillage.
 P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

2.3 Other hazards

May form explosible dust-air mixture if dispersed.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.2 Mixtures****Chemical nature**

Dustable powder (DP)
 Bendiocarb 1,25 % w/w

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Bendiocarb	22781-23-3 245-216-8	Acute Tox. 2, H300 Acute Tox. 3, H311 Acute Tox. 3, H331 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	1.25
Talc	14807-96-6 238-877-9	Not classified	> 1.00

Further information

Bendiocarb	22781-23-3	M-Factor: 10 (acute), 100 (chronic)
------------	------------	-------------------------------------

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES**4.1 Description of first aid measures****General advice**

Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.



FICAM D

Version 11 / GB
102000001385

3/11

Revision Date: 10.08.2018
Print Date: 05.09.2018

Inhalation	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
Skin contact	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Induce vomiting only, if: 1. patient is fully conscious, 2. medical aid is not readily available, 3. a significant amount (more than a mouthful) has been ingested and 4. time since ingestion is less than 1 hour. (Vomit should not get into the respiratory tract.) Call a physician or poison control center immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	Temporary blurred vision due to contraction of the pupils (miosis) following contact with the eyes., Bradycardia, Low blood pressure, Salivation, Bronchial hypersecretion, Vomiting, Diarrhoea, Sweating, Muscular fasciculation, Spasm, Breathing difficulties, Respiratory paralysis, Somnolence, Coma, Respiratory failure, Hypothermia, Convulsions, Nausea
-----------------	--

4.3 Indication of any immediate medical attention and special treatment needed

Risks	This product is a cholinesterase inhibitor carbamate.
Treatment	Monitor: respiratory, cardiac and central nervous system. Monitor: blood picture. Monitor: red blood cell and plasma cholinesterase. ECG - monitoring (Electrocardiogram). Oxygen or artificial respiration if needed. Keep respiratory tract clear. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. The following antidote is generally accepted: atropine. Before antidote is administered, either clear symptoms of poisoning have to be present or the cholinesterase activity is inhibited to below 30% of normal. In case of convulsions, a benzodiazepine (e.g. diazepam) should be given according to standard regimens. Contraindications: oximes (pralidoxime, obidoxime).

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable	Water spray, Carbon dioxide (CO ₂), Foam, Sand
Unsuitable	None known.



FICAM D

Version 11 / GB
102000001385

4/11

Revision Date: 10.08.2018
Print Date: 05.09.2018

5.2 Special hazards arising from the substance or mixture	Dangerous gases are evolved in the event of a fire., In common with all other methyl carbamates, bendiocarb will liberate strongly lachrymatory and very toxic methyl isocyanate when heated above it's decomposition temperature which for bendiocarb is > 125 deg C. Methyl isocyanate has a very low flash point and will be readily consumed in a fire. Since methyl isocyanate readily decomposes in contact with water, all decompositions are best extinguished with water., Accumulation of fine dust may entail the risk of a dust explosion in the presence of air.
5.3 Advice for firefighters	
Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
Further information	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions	Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment. Remove all sources of ignition.
 	Ensure adequate ventilation. Avoid dust formation.

6.2 Environmental precautions

Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	Use mechanical handling equipment. Avoid dust formation. Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.
Additional advice	Check also for any local site procedures.

6.4 Reference to other sections

Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling	Use only in area provided with appropriate exhaust ventilation.
Advice on protection against fire and explosion	Dust may form explosive mixture in air. Keep away from heat and sources of ignition. Take measures to prevent the build up of electrostatic charge.
Hygiene measures	Avoid contact with skin, eyes and clothing. Keep working clothes

**FICAM D**Version 11 / GB
102000001385

5/11

Revision Date: 10.08.2018
Print Date: 05.09.2018

separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Bendiocarb	22781-23-3	0.2 mg/m ³ (TWA)		OES BCS*
Talc (Respirable dust.)	14807-96-6	1 mg/m ³ (TWA)	12 2011	EH40 WEL

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

If product is handled while not enclosed, and if contact may occur:
Wear respirator with a particle filter mask (protection factor 4) conforming to European norm EN149FFP1 or equivalent.
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.
Material Nitrile rubber

**FICAM D**Version 11 / GB
102000001385

7/11

Revision Date: 10.08.2018
Print Date: 05.09.2018**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on toxicological effects**

Acute oral toxicity	LD50 (Rat) 12,000 mg/kg
Acute inhalation toxicity	LC50 (Rat) > 21.5 mg/l Exposure time: 6 h
Acute dermal toxicity	LD50 (Rat) > 5,000 mg/kg
Skin corrosion/irritation	No skin irritation (Rabbit)
Serious eye damage/eye irritation	No eye irritation (Rabbit)
Respiratory or skin sensitisation	Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Magnusson & Kligman test Test conducted with a similar formulation.

Assessment STOT Specific target organ toxicity – single exposure

Bendiocarb: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Bendiocarb caused reversible cholinesterase inhibition without long term effects in animal studies.

Assessment mutagenicity

Bendiocarb was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Bendiocarb was not carcinogenic in lifetime feeding studies in rats and mice.

Assessment toxicity to reproduction

Bendiocarb did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Bendiocarb did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity**

Toxicity to fish	LC50 (Cyprinodon variegatus (sheepshead minnow)) 0.86 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient bendiocarb.
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 0.0377 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient bendiocarb.
Chronic toxicity to aquatic invertebrates	NOEC (Daphnia magna (Water flea)): 0.000882 mg/l Exposure time: 21 d

**FICAM D**Version 11 / GB
10200001385

8/11

Revision Date: 10.08.2018
Print Date: 05.09.2018

The value mentioned relates to the active ingredient bendiocarb.

Toxicity to aquatic plants EC50 (Raphidocelis subcapitata (freshwater green alga)) 0.408 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient bendiocarb.

12.2 Persistence and degradability

Biodegradability Bendiocarb:
Not rapidly biodegradable

Koc Bendiocarb: Koc: 33

12.3 Bioaccumulative potential

Bioaccumulation Bendiocarb: Bioconcentration factor (BCF) 6.0
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil Bendiocarb: Mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment Bendiocarb: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

Additional ecological information No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

Product In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).

Contaminated packaging Empty remaining contents.
Do not use containers for other products.
Do not re-use baits or empty containers.
Clean container with water.
Rinsed packaging may be acceptable for landfill, otherwise incineration will be required in accordance with local regulations.

Waste key for the unused product 02 01 08* agrochemical waste containing hazardous substances

SECTION 14: TRANSPORT INFORMATION**ADR/RID/ADN**

14.1 UN number

3077



FICAM D

Version 11 / GB
10200001385

9/11

Revision Date: 10.08.2018
Print Date: 05.09.2018

14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (BENDIOCARB MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	90

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number	3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (BENDIOCARB MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Marine pollutant	YES

IATA

14.1 UN number	3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (BENDIOCARB MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES

UK 'Carriage' Regulations

14.1 UN number	3077
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (BENDIOCARB MIXTURE)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES
Emergency action code	2Z

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UK and Northern Ireland Regulatory References

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet



FICAM D

Version 11 / GB
102000001385

10/11

Revision Date: 10.08.2018
Print Date: 05.09.2018

are followed.

Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)
Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367)
Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716)
Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009
Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)
EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits
Control of Pesticide Regulations 1986
Dangerous Substances and Explosive Atmospheres Regulations 2002

Waste Treatment

Environmental Protection Act 1990, Part II
Environmental Protection (Duty of Care) Regulations 1991
The Waste Management Licensing Regulations 1994 (as amended)
Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)
Landfill Directive
Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)
Water Resources Act 1991
Anti-Pollution Works Regulations 1999

Further information

WHO-classification: U (Unlikely to present acute hazard in normal use)

15.2 Chemical safety assessment

A chemical safety assessment is not required.

SECTION 16: OTHER INFORMATION

Text of the hazard statements mentioned in Section 3

H300	Fatal if swallowed.
H311	Toxic in contact with skin.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EH40 WEL	Worker Exposure Limit



FICAM D

Version 11 / GB
10200001385

11/11
Revision Date: 10.08.2018
Print Date: 05.09.2018

EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SI	Statutory Instrument
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

Reason for Revision: Safety Data Sheet according to Regulation (EU) No. 2015/830. The following sections have been revised: Section 2: Hazards Identification. Section 8: Exposure Controls / Personal Protection. Section 9: Physical and Chemical Properties. Section 12. Ecological information.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.